

Federal Employee Program® Federal Employee Program® 1310 G Street, N.W. Washington, D.C. 20005 202.942.1000 Fax 202.942.1125

5.30.040

Section: Prescription Drugs Effective Date: July 1, 2023

Subsection: Endocrine and Metabolic Drugs Original Policy Date: December 30, 2015

Subject: Kanuma Page: 1 of 3

Last Review Date: June 15, 2023

Kanuma

Description

Kanuma (sebelipase alfa)

Background

Kanuma (sebelipase alfa) is used to treat Lysosomal Acid Lipase (LAL) deficiency. LAL deficiency is a disorder characterized by a genetic defect resulting in a marked decrease or loss in activity of the lysosomal acid lipase enzyme. This enzyme normally causes the breakdown of lipid particles including LDL cholesterol (LDL-c). Deficient LAL enzyme activity results in progressive complications due to the lysosomal accumulation of fat molecules in multiple organs, including the liver, spleen, intestine, and the walls of blood vessels. The resulting lipid accumulation in the liver may lead to increased liver fat content and progression of liver disease, including fibrosis and cirrhosis. Accumulation of lipid in the intestinal wall leads to malabsorption and growth failure. In parallel, dyslipidemia due to impaired degradation of lysosomal lipid is common with elevated LDL-c and triglycerides and low HDL-cholesterol (HDL-c). Kanuma is administered via intravenous infusions once weekly or once every other week (1).

Regulatory Status

FDA-approved indication: Kanuma is a hydrolytic lysosomal cholesteryl ester and triacylglycerolspecific enzyme indicated for the treatment of patients with a diagnosis of Lysosomal Acid Lipase (LAL) deficiency (1).

Safety and effectiveness of Kanuma have been established in pediatric patients aged 1 month and older (1).

Section: Prescription Drugs Effective Date: July 1, 2023

Subsection: Endocrine and Metabolic Drugs Original Policy Date: December 30, 2015

Subject: Kanuma Page: 2 of 3

Related policies

Policy

This policy statement applies to clinical review performed for pre-service (Prior Approval, Precertification, Advanced Benefit Determination, etc.) and/or post-service claims.

Kanuma may be considered **medically necessary** if the conditions indicated below are met.

Kanuma may be considered **investigational** for all other indications.

Prior-Approval Requirements

Age 1 month of age and older

Diagnosis

Patient must have the following:

Lysosomal Acid Lipase (LAL) deficiency

Prior – Approval Renewal Requirements

Same as above

Policy Guidelines

Pre - PA Allowance

None

Prior – Approval Limit

Duration 2 years

Prior - Approval Renewal Limits

Same as above

Rationale

Summary

Kanuma is indicated for patients with a diagnosis of Lysosomal Acid Lipase (LAL) deficiency.

5.30.040

Section: Prescription Drugs Effective Date: July 1, 2023

Subsection: Endocrine and Metabolic Drugs Original Policy Date: December 30, 2015

Subject: Kanuma Page: 3 of 3

LAL deficiency is a disorder characterized by a genetic defect resulting in a marked decrease or loss in activity of the lysosomal acid lipase enzyme. This enzyme normally causes the breakdown of lipid particles including LDL cholesterol. Kanuma is administered via intravenous infusions once weekly or once every other week. Safety and effectiveness of Kanuma have been established in pediatric patients aged 1 month and older (1).

Prior authorization is required to ensure the safe, clinically appropriate, and cost-effective use of Kanuma while maintaining optimal therapeutic outcomes.

References

1. Kanuma [package insert]. New Haven, CT: Alexion Pharmaceuticals Inc.; November 2021.

Policy History	
Date	Action
December 2015	Addition to PA
March 2016	Annual review Policy number changed from 5.08.40 to 5.30.40
June 2016	Annual review
September 2016	Annual editorial review
December 2017	Annual review
December 2018	Annual review
December 2019	Annual editorial review. Changed approval duration from lifetime to 2 years
December 2020	Annual review
June 2021	Annual review
June 2022	Annual review and reference update
June 2023	Annual review. Changed policy number to 5.30.040
Keywords	

This policy was approved by the FEP® Pharmacy and Medical Policy Committee on June 15, 2023 and is effective on July 1, 2023.